

L Number	Hits	Search Text	DB	Time stamp
-	1953	(find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:49
-	1367	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:25
-	26	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and name with (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 14:26
-	26	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and name with (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:28
-	423	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network near5 name)./ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:26
-	21	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and name with (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network) and (((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network near5 name)./ti,ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 14:27
-	6	(find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 logical adj network near10 (connect\$3 or interfac\$3) near5 (device or adapter or adaptor or interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 14:37
-	3	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 logical adj network near10 (connect\$3 or interfac\$3) near5 (device or adapter or adaptor or interface)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 14:38
-	11	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and name with (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network) and (((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network near5 name)./ti,ab.)) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:27
-	57	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:48

-	42	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:53
-	373	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:28
-	10	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)) and (((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (correspon\$4 or correlat\$3 or relat\$3 or associat\$3) near10 (interface or adaptor or adapter or device) near10 network)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:28
-	0	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)) and unique adj (network adj name or "name of the network")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:49
-	0	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)) and unique adj (network adj name or "names of the networks")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:49
-	2	((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 unique near10 network adj name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:50
-	2	((find\$3 or discover\$3 o retriv\$5 or obtain\$3 map\$4) adj10 unique near10 network adj name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:52
-	2	((find\$3 or discover\$3 o retriv\$5 or obtain\$3 map\$4) with unique near10 ("name of the network" or network adj name)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:52
-	14	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)) and (unique or one-to-one) near5 name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:54
-	4	(((((find\$3 or discover\$3 o retriv\$5 or obtain\$3) adj10 network near5 (topology or configuration or name)) and (@AD <20010423 or @PRAD <20010423 or @RLAD <20010423)) and (network adj name or "name of the network")./ti,ab.) and (@AD <20000424 or @PRAD <20000424 or @RLAD <20000424)) and (unique or one-to-one) near5 name near5 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/19 15:54

BEST AVAILABLE COPY

-	2	correlat\$3 with network near5 name with (API or application adj program\$4 adg interface) near10 transport adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:28
-	2	network near5 name with (API or application adj program\$4 adg interface) near10 transport adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:27
-	2	(network or host) near5 name with (API or application adj program\$4 adg interface) near10 transport adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:28
-	50	(network or host) near5 name with (API or application adj program\$4 adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:28
-	2	(network or host) near5 name with (API or application adj program\$4 adj interface) near10 transport adj2 protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:28
-	4	correlat\$3 with (host or network) near5 name with (API or application adj program\$4 adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/20 12:29